

- Audible and Visual Alarm
- Reminder for Receipt Not Taken Away
- 300mm/s High Print Speed
- IP42 Ingress Protection
- Auto-Reprint Efficiently When The Paper Runs Out
- Font Replacement Function
- Support Horizontal/Vertical/Wall-Mounted Placement
- Support Modify IP on Web Page

GP-D300I

80mm Thermal Receipt Printer



Audible and Visual Alarm Loud Volume Reminder

Front Highlighted Indicator Light Bar, Equipped with Large Speaker

Audible and Visual Dual Alarm, Outstanding Prompts and Warnings

Reminder for Receipt Not Taken Away To Avoid Orders Missing

User-friendly Reminders For Paper Lacking

Cover Opening, And Receipt Not Taken Away

Easily Cope With Noisy Environments Without Fear Of Orders Missing



Highlighted Indicator Light Bar



Equipped with Large Speaker





Reminder for Receipt Not Taken Away



User-friendly Reminders For Paper Lacking, Cover Opening

High-speed Printing Automatic Paper Cutting

300mm/s Ultra-High Speed Printing
Equipped With Auto-Cutter With Service Life of 1.5 Million Times
Fasily Cope With The Peak Period Of Order Printing



IP42 Ingress Protection

Waterproof, Dustproof, Insectproof



Font Replacement Function

Font Replacement With A Dedicated Software



Auto-Reprint Efficiently When The Paper Runs Out

When Paper Runs Out Or The Order Is Incompletely Printed Re-load The Paper Roll and Reprint Automatically



Multiple Paper Output Methods

Horizontal / Vertical /
Wall-mounted Placement



Compatible With A Variety of Consumables

Thermal Paper, Thermal Black Label Paper
And Gray Thermal Environmental Paper



(Remarks: The Factory Default Can be Set For Printing Environmental Thermal Receipt Paper)

Super Versatile And Not Just That...

Self-Test Page In Chinese or **English User-Friendly Design**

Compatible With 58mm Thermal Receipt Printing

Support Large Paper Roll With 82mm Diameter

Compatible With STAR Command And Page Mode Printing

Achieve Multi-Style Contents To Meet More Printing Requirements

Built-in Large 512KB NV Flash

Ultra-Fast, Ultra-Stable, Ultra-Powerful Printing



USB / Ethernet / Serial / Wi-Fi / Bluetooth **Compatible With Popular Catering, Cashier Software And** Mini Programs On The Market

Wide Applications To Fit For Various Industry











Fresh Food Delivery



Parameters



Print Method



Auto-cutter Method: Partial Cut Cutter Life:



Interface Standard: Standard: USB+Serial+Ethernet+Cash Drawer Optional: USB+Bluetooth+Cash Drawer USB+WilF+Cash Drawer USB+Bluetooth+WiFi+Cash Drawer





Print Width



Media Roll OD





Media Width 79.5±0.5mm



Print Head (Reliability)