


21.5" & 23.8" Self Service Kiosk

POS SYSTEM

ST-9100F

- The device adopts the core decoding technology, millions of pixels, can quickly read all kinds of commodities / screen bar code;
- High motion tolerance, bringing hand-waving reading experience;
- High protection level, able to cope with various environments.






Windows



Android



Linux



Capacitive



Internet



WIFI

	Windows	Android
CPU	Intel Core i5 Dual Core (the 8 th , 10 th , 11 th , 12 th gen)	Rk3568 Quad core ARM Cortex A55, Neon and FPU
	Intel Core i3 Dual Core (the 10 th , 11 th gen)	
	Intel Celeron Processor J6412(1.5M Cache, up to 2.60GHz)	
	Intel Processor N100(6M Cache, up to 3.40GHz)	
Memory	8GB, 16GB	4GB
Hard Disk	128GB, 256GB, 512GB	32GB, 64GB, 128GB
Ethernet	10M/100M/1000M Self-adaption	1wifi&BT module, support WIFI 802.11b/g/n protocol
		1 RJ45 Ethernet port, support Ethernet
OS Support	Windows7/10/11, Linux, etc.	Android 11-13
Display Screen	21.5/23.8inch 10 Points Capacitive True Flat Touch Screen	
Resolution	1920*1080	
Readability	≥4Mil	
Motion tolerance	> 2M/S	
IP	IP52	
Housing Material	Metal	
Power Supply	12V, 7A	
Color	Black/ White (Customizable)	

Package Size	93*48*36.5cm (23.8inch) 88*45*36.5cm (21.5inch)	
Certification	ROHS, CE, FCC, etc.	
Interface	DC-in*1, HDMI*1, VGA*1, USB2.0*2, LAN*1, USB3.0*2, Audio*1 Hub(COM*2, USB2.0*2)	DC*1, RJ12*1, COM*1, Audio*1, SD*1, SIM*1, USB2.0*4, LAN*1 Hub(USB2.0*2)
Option	Built-in	WIFI/ Bluetooth/Loudspeaker
	Reader	MSR/ RFID/ NFC/ IBUTTON
	Holder	POS Terminal Holder/Invoice Printer Holder
Printer	80mm thermal printer with auto cutter	
Scanner	2D, Area-imaging scanner	



INDUSTRIAL APPLTCATIONS

Retail
Hospitality
Transportation
Government
Direct Store Delivery
Postal and Courier Services
Field Service
Field Sales